

Specialty, Cavity Plug Cartridges

*Powered by Sun QuickPrint,
your on-demand, customized catalogue solution.*

This information is subject to change without notice. Visit www.sunhydraulics.com for complete and up to date information.



XZCC	Flush mount, all ports blocked cavity plug	1
XAOA	All ports open cavity plug	2
XBOB	All ports open cavity plug	3
XCOA	All ports open cavity plug	4
XEOB	All ports open cavity plug	5
XFOA	All ports open cavity plug	6
XHOB	All ports open cavity plug	7
XIOA	All ports open cavity plug	8
XJOB	All ports open cavity plug	9
XKOA	All ports open cavity plug	10
XMOB	All ports open cavity plug	11
XZOA	All ports open cavity plug	12
XZOC	Flush mount, all ports open cavity plug	13
XZOD	All ports open cavity plug	14
XACAE	Port 1 to external port, port 2 blocked cavity plug	15
XFCAE	Port 1 to external port, port 2 blocked cavity plug	16
XGCAE	Port 1 to external port, port 2 blocked cavity plug	17
XACC	Port 2 to external port, port 1 blocked cavity plug	18
XACA	All ports blocked cavity plug	19
XACB	All ports blocked cavity plug	20
XBCA	All ports blocked cavity plug	21
XCCA	All ports blocked cavity plug	22
XDCA	All ports blocked cavity plug	23

XECA	All ports blocked cavity plug	24
XFCA	All ports blocked cavity plug	25
XGCA	All ports blocked cavity plug	26
XHCA	All ports blocked cavity plug	27
XICA	All ports blocked cavity plug	28
XJCA	All ports blocked cavity plug	29
XKCA	All ports blocked cavity plug	30
XMCA	All ports blocked cavity plug	31
XNCA	All ports blocked cavity plug	32
XPCA	All ports blocked cavity plug	33
XQCA	All ports blocked cavity plug	34
XRCA	All ports blocked cavity plug	35
XRCC	All ports blocked cavity plug	36
XSCA	All ports blocked cavity plug	37
XSCC	All ports blocked cavity plug	38
XTCA	All ports blocked cavity plug	39
XTCC	All ports blocked cavity plug	40
XVCA	All ports blocked cavity plug	41
XVCC	All ports blocked cavity plug	42
XYCA	All ports blocked cavity plug	43
XZCA	All ports blocked cavity plug	44
XZCB	All ports blocked cavity plug	45
XACBE	Port 1 to external port, ports 2 and 3 blocked cavity plug	46

XAOB	Port 1 to 2 open, port 3 blocked cavity plug	47
XBOA	Port 1 to 2 open, port 3 blocked cavity plug	48
XEOA	Port 1 to 2 open, port 3 blocked cavity plug	49
XHOA	Port 1 to 2 open, port 3 blocked cavity plug	50
XJOA	Port 1 to 2 open, port 3 blocked cavity plug	51
XZOB	Port 1 to 2 open, port 3 blocked cavity plug	52
XAOC	Port 1 to 3 open, port 2 blocked cavity plug	53
XBBA	Port 1 to 3 open, port 2 blocked cavity plug	54
XEBA	Port 1 to 3 open, port 2 blocked cavity plug	55
XHBA	Port 1 to 3 open, port 2 blocked cavity plug	56
XJBA	Port 1 to 3 open, port 2 blocked cavity plug	57
XZBA	Port 1 to 3 open, port 2 blocked cavity plug	58
XBAA	Port 2 to 3 open, port 1 blocked cavity plug	59
XEAA	Port 2 to 3 open, port 1 blocked cavity plug	60
XZAA	Port 2 to 3 open, port 1 blocked cavity plug	61
XMOA	Ports 3 and 4 or port 5 and 6 blocked, all other ports open cavity plug	62
XNOA	Ports 3 and 4 or port 5 and 6 blocked, all other ports open cavity plug	63
XPOA	Ports 3 and 4 or port 5 and 6 blocked, all other ports open cavity plug	64
XQOA	Ports 3 and 4 or port 5 and 6 blocked, all other ports open cavity plug	65
XMBA	Port 1 to 3 open, ports 2 and 4 blocked, cavity plug	66
XHOAE	Ports 1 and 2 to external port, port 3 blocked cavity plug	67
XROS	Port 1 open to 2 and port 3 open to 4 cavity plug	68
XUCA	All ports blocked cavity plug	69

Series	Ports	Cavities
Series Z Cartridges 3/8-24 UNF Cartridge Thread 5 mm Valve Hex Size 11 - 14 Nm Valve Installation Torque	3-Port	T-382A
Series P Cartridges M16 Cartridge Thread 22,2 mm Valve Hex Size 27 - 33 Nm Valve Installation Torque	2-Port 2-Port (Deep) 3-Port	T-8A T-8DP T-9A
Series 0 Cartridges M16 Cartridge Thread 19,1 mm Valve Hex Size 25,4 mm Valve Hex Size 27 - 33 Nm Valve Installation Torque	2-Port 2-Port (Deep) 3-Port 3-Port 4-Port 4-Port	T-162A T-162DP T-150A T-163A T-20A T-30A
Series 0C Cartridges 3/4-16 UNF Cartridge Thread 22,2 mm Valve Hex Size 19 - 22 lbf ft Valve Installation Torque	2-Port (Common) 3-Port (Common) 4-Port (Common)	SC-08-02 SC-08-03 SC-08-04
Series 1 Cartridges M20 Cartridge Thread 22,2 mm Valve Hex Size 41 - 47 Nm Valve Installation Torque	2-Port 2-Port 3-Port 4-Port 4-Port 6-Port	T-10A T-13A T-11A T-21A T-31A T-61A
Series 1C Cartridges 7/8-14 UNF Cartridge Thread 1 1/16 in. Valve Hex Size 25,4 mm Valve Hex Size 31 - 35 Nm Valve Installation Torque	2-Port (Common) 3-Port (Common) 4-Port (Common) 5-Port (Common)	SC-10-02 SC-10-03 SC-10-04 SC-10-05
Series 2 Cartridges 1"-14 UNS Cartridge Thread 28,6 mm Valve Hex Size 61 - 68 Nm Valve Installation Torque	2-Port 2-Port 3-Port 4-Port 4-Port 4-Port (Dual path) 6-Port 6-Port	T-3A T-5A T-2A T-22A T-32A T-52AD T-52A T-62A
Series 3 Cartridges M36 Cartridge Thread 31,8 mm Valve Hex Size 203 - 217 Nm Valve Installation Torque	2-Port 3-Port 4-Port 4-Port 4-Port (Dual path) 6-Port 6-Port	T-16A T-17A T-23A T-33A T-53AD T-53A T-63A
Series 4 Cartridges M48 Cartridge Thread 41,3 mm Valve Hex Size 474 - 508 Nm Valve Installation Torque	2-Port 2-Port (Undercut) 3-Port 3-Port (Undercut) 4-Port 4-Port (Undercut) 4-Port	T-18A T-18AU T-19A T-19AU T-24A T-24AU T-34A

4-Port (Dual path)	T-54AD
6-Port	T-54A
6-Port	T-64A



This cavity plug mounts flush with the cavity and blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port
Valve Internal Hex Size	5/16 in.
Seal kit - Cartridge	Buna: 990162007
Seal kit - Cartridge	EPDM: 990162014
Seal kit - Cartridge	Polyurethane: 990162002
Seal kit - Cartridge	Viton: 990162006

CONFIGURATION OPTIONS

Model Code Example: XZCCXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				E EPDM	
				V Viton	



This cavity plug allows all ports to remain open.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port
Seal kit - Cartridge	Buna: 990008007
Seal kit - Cartridge	Polyurethane: 990008002
Seal kit - Cartridge	Viton: 990008006

CONFIGURATION OPTIONS

Model Code Example: XAOAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N E EPDM V Viton		Standard Material/Coating /AP Stainless Steel, Passivated /LH Mild Steel, Zinc-Nickel



This cavity plug allows all ports to remain open.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990202007
Seal kit - Cartridge	Polyurethane: 990002002
Seal kit - Cartridge	Viton: 990202006

CONFIGURATION OPTIONS

Model Code Example: **XBOBXXN**

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N V Viton		Standard Material/Coating /AP Stainless Steel, Passivated



in (mm)

These cavity plugs can be used for both two-port and four-port cavities and allow all ports to remain connected.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port / 4 Port
Seal kit - Cartridge	Buna: 990203007
Seal kit - Cartridge	Viton: 990203006

CONFIGURATION OPTIONS

Model Code Example: XCOAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				E EPDM		/AP Stainless Steel, Passivated
				V Viton		/LH Mild Steel, Zinc-Nickel





This cavity plug allows all ports to remain open.

TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990011007
Seal kit - Cartridge	EPDM: 990011014
Seal kit - Cartridge	Polyurethane: 990011002
Seal kit - Cartridge	Viton: 990011006

CONFIGURATION OPTIONS **Model Code Example: XEOBArray**

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				E EPDM		/AP Stainless Steel, Passivated
				V Viton		/LH Mild Steel, Zinc-Nickel



These cavity plugs can be used for both two-port and four-port cavities and allow all ports to remain connected.



TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port / 4 Port
Seal kit - Cartridge	Buna: 990010007
Seal kit - Cartridge	Polyurethane: 990010002
Seal kit - Cartridge	Viton: 990010006

CONFIGURATION OPTIONS

Model Code Example: XFOAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				E EPDM		/AP Stainless Steel, Passivated
				V Viton		/LH Mild Steel, Zinc-Nickel



in (mm)

This cavity plug allows all ports to remain open.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990017007
Seal kit - Cartridge	EPDM: 990017014
Seal kit - Cartridge	Polyurethane: 990017002
Seal kit - Cartridge	Viton: 990017006

CONFIGURATION OPTIONS

Model Code Example: XHOBXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				E EPDM		/AP Stainless Steel, Passivated
				V Viton		



in (mm)

These cavity plugs can be used for both two-port and four-port cavities and allow all ports to remain connected.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port / 4 Port
Seal kit - Cartridge	Buna: 990016007
Seal kit - Cartridge	EPDM: 990016014
Seal kit - Cartridge	Viton: 990016006

CONFIGURATION OPTIONS

Model Code Example: XIOAXXN

CONTROL	(X) ADJUSTMENT RANGE	(X) SEAL MATERIAL	(N) MATERIAL/COATING
X -	X -	N Buna-N E EPDM V Viton	Standard Material/Coating /AP Stainless Steel, Passivated /LH Mild Steel, Zinc-Nickel





This cavity plug allows all ports to remain open.

TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	3000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990019007
Seal kit - Cartridge	EPDM: 990019014
Seal kit - Cartridge	Polyurethane: 990019002
Seal kit - Cartridge	Viton: 990019006

CONFIGURATION OPTIONS Model Code Example: XJOBXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N E EPDM V Viton		Standard Material/Coating /AP Stainless Steel, Passivated



in (mm)

These cavity plugs can be used for both two-port and four-port cavities and allow all ports to remain connected.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port / 4 Port
Seal kit - Cartridge	Buna: 990018007
Seal kit - Cartridge	EPDM: 990018014
Seal kit - Cartridge	Viton: 990018006

CONFIGURATION OPTIONS

Model Code Example: XKOAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				E EPDM		/AP Stainless Steel, Passivated
				V Viton		



These cavity plugs can be used for both four-port and six-port cavities. In both cases, all ports remain open.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	3000 psi
Seal kit - Cartridge	Buna: 990021007
Seal kit - Cartridge	Polyurethane: 990021002
Seal kit - Cartridge	Viton: 990021006

CONFIGURATION OPTIONS

Model Code Example: XMOBXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N V Viton	



This cavity plug allows all ports to remain open.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port
Seal kit - Cartridge	Buna: 990162007
Seal kit - Cartridge	EPDM: 990162014
Seal kit - Cartridge	Polyurethane: 990162002
Seal kit - Cartridge	Viton: 990162006

CONFIGURATION OPTIONS

Model Code Example: XZOAXXN

CONTROL	(X) ADJUSTMENT RANGE	(X) SEAL MATERIAL	(N) MATERIAL/COATING
X -	X -	N Buna-N E EPDM V Viton	Standard Material/Coating /AP Stainless Steel, Passivated /LH Mild Steel, Zinc-Nickel



TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990163007
Seal kit - Cartridge	Polyurethane: 990163002
Seal kit - Cartridge	Viton: 990163006

CONFIGURATION OPTIONS

Model Code Example: XZODXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N V Viton		Standard Material/Coating /AP Stainless Steel, Passivated



This cavity plug includes an external port open to port 1 and blocks port 2.



TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port
Seal kit - Cartridge	Buna: 990008007
Seal kit - Cartridge	EPDM: 990008014
Seal kit - Cartridge	Polyurethane: 990008002
Seal kit - Cartridge	Viton: 990008006

CONFIGURATION OPTIONS

Model Code Example: XACAEArray

ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		N Buna-N		Standard Material/Coating
		E EPDM		/AP Stainless Steel, Passivated
		V Viton		



This cavity plug includes an external port open to port 2 and blocks port 1.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port
Seal kit - Cartridge	Buna: 990008007
Seal kit - Cartridge	Polyurethane: 990008002
Seal kit - Cartridge	Viton: 990008006

CONFIGURATION OPTIONS

Model Code Example: XACCEN

CONTROL	(E)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
E Port 2 to External 4-SAE Port		X -		N Buna-N V Viton	





This cavity plug blocks all ports.

TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990202007
Seal kit - Cartridge	Polyurethane: 990002002
Seal kit - Cartridge	Viton: 990202006

CONFIGURATION OPTIONS Model Code Example: XBCAArray

CONTROL	(X) ADJUSTMENT RANGE	(X) SEAL MATERIAL	(N) MATERIAL/COATING
X -	X -	N Buna-N V Viton	Standard Material/Coating /AP Stainless Steel, Passivated



This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port
Seal kit - Cartridge	Buna: 990203007
Seal kit - Cartridge	EPDM: 990203014
Seal kit - Cartridge	Polyurethane: 990003002
Seal kit - Cartridge	Viton: 990203006

CONFIGURATION OPTIONS

Model Code Example: XCCAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				E EPDM		/AP Stainless Steel, Passivated
				V Viton		/LH Mild Steel, Zinc-Nickel



This cavity plug blocks all ports.

TECHNICAL DATA


NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990011007
Seal kit - Cartridge	Polyurethane: 990011002
Seal kit - Cartridge	Viton: 990011006

CONFIGURATION OPTIONS

Model Code Example: XECAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				E EPDM		/AP Stainless Steel, Passivated
				V Viton		/LH Mild Steel, Zinc-Nickel



This cavity plug blocks all ports.



TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port
Seal kit - Cartridge	Buna: 990010007
Seal kit - Cartridge	Polyurethane: 990010002
Seal kit - Cartridge	Viton: 990010006

CONFIGURATION OPTIONS

Model Code Example: XFCAArray

CONTROL	(X) ADJUSTMENT RANGE	(X) SEAL MATERIAL	(N) MATERIAL/COATING
X -	X -	N Buna-N E EPDM V Viton	Standard Material/Coating /AP Stainless Steel, Passivated /LH Mild Steel, Zinc-Nickel



This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port
Seal kit - Cartridge	Buna: 990010007
Seal kit - Cartridge	EPDM: 990010014
Seal kit - Cartridge	Polyurethane: 990010002
Seal kit - Cartridge	Viton: 990010006

CONFIGURATION OPTIONS

Model Code Example: XGCAXXN

CONTROL	(X) ADJUSTMENT RANGE	(X) SEAL MATERIAL	(N) MATERIAL/COATING
X -	X -	N Buna-N E EPDM V Viton	Standard Material/Coating /AP Stainless Steel, Passivated /LH Mild Steel, Zinc-Nickel



This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990017007
Seal kit - Cartridge	Polyurethane: 990017002
Seal kit - Cartridge	Viton: 990017006

CONFIGURATION OPTIONS

Model Code Example: XHCAXXN

CONTROL	(X) ADJUSTMENT RANGE	(X) SEAL MATERIAL	(N) MATERIAL/COATING
X -	X -	N Buna-N E EPDM V Viton	Standard Material/Coating /AP Stainless Steel, Passivated /LH Mild Steel, Zinc-Nickel



This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	2 Port
Seal kit - Cartridge	Buna: 990016007
Seal kit - Cartridge	EPDM: 990016014
Seal kit - Cartridge	Polyurethane: 990016002
Seal kit - Cartridge	Viton: 990016006

CONFIGURATION OPTIONS

Model Code Example: XICAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				E EPDM		/AP Stainless Steel, Passivated
				V Viton		/LH Mild Steel, Zinc-Nickel



in (mm)

This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990021007
Seal kit - Cartridge	Polyurethane: 990021002
Seal kit - Cartridge	Viton: 990021006

CONFIGURATION OPTIONS

Model Code Example: XMCAXXN

CONTROL	(X) ADJUSTMENT RANGE	(X) SEAL MATERIAL	(N) MATERIAL/COATING
X -	X -	N Buna-N V Viton	Standard Material/Coating /AP Stainless Steel, Passivated



This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990024007
Seal kit - Cartridge	Polyurethane: 990024002
Seal kit - Cartridge	Viton: 990024006

CONFIGURATION OPTIONS

Model Code Example: XQCAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				V Viton		/AP Stainless Steel, Passivated



This cavity plug blocks all ports.



TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990031007
Seal kit - Cartridge	Polyurethane: 990031002
Seal kit - Cartridge	Viton: 990031006

CONFIGURATION OPTIONS

Model Code Example: XRCAArray

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	



This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990061007
Seal kit - Cartridge	Polyurethane: 990061002
Seal kit - Cartridge	Viton: 990061006

CONFIGURATION OPTIONS

Model Code Example: XRCCXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	



This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990032007
Seal kit - Cartridge	Polyurethane: 990032002
Seal kit - Cartridge	Viton: 990032006

CONFIGURATION OPTIONS

Model Code Example: XSCAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	





This cavity plug blocks all ports.

TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990062007
Seal kit - Cartridge	Polyurethane: 990062002
Seal kit - Cartridge	Viton: 990062006

CONFIGURATION OPTIONS Model Code Example: XSCCArray

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	



in (mm)

This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990033007
Seal kit - Cartridge	Polyurethane: 990033002
Seal kit - Cartridge	Viton: 990033006

CONFIGURATION OPTIONS

Model Code Example: XTCAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N V Viton		Standard Material/Coating /AP Stainless Steel, Passivated



in (mm)

This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990063007
Seal kit - Cartridge	Polyurethane: 990063002
Seal kit - Cartridge	Viton: 990063006

CONFIGURATION OPTIONS

Model Code Example: XTCCXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	



in (mm)

This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990064007
Seal kit - Cartridge	Polyurethane: 990064002
Seal kit - Cartridge	Viton: 990064006

CONFIGURATION OPTIONS

Model Code Example: XVCCXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	



in (mm)

This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Valve Internal Hex Size	5/32 in.
Seal kit - Cartridge	Buna: 990382007
Seal kit - Cartridge	Viton: 990382006

CONFIGURATION OPTIONS

Model Code Example: XYCAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X Not Adjustable		X -		N Buna-N	
				V Viton	



This cavity plug blocks all ports.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990163007
Seal kit - Cartridge	Polyurethane: 990163002
Seal kit - Cartridge	Viton: 990163006

CONFIGURATION OPTIONS

Model Code Example: XZCBXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				V Viton		/AP Stainless Steel, Passivated





This cavity plug includes an external port open to port 1 and blocks ports 2 and 3.

TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990009007
Seal kit - Cartridge	Polyurethane: 990009002
Seal kit - Cartridge	Viton: 990009006

CONFIGURATION OPTIONS **Model Code Example: XACBEArray**

ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		N Buna-N	
		V Viton	



in (mm)

This cavity plug allows ports 1 and 2 to remain open and blocks port 3.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990009007
Seal kit - Cartridge	EPDM: 990009014
Seal kit - Cartridge	Polyurethane: 990009002
Seal kit - Cartridge	Viton: 990009006

CONFIGURATION OPTIONS

Model Code Example: XAOBXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				E EPDM	
				V Viton	



This cavity plug allows ports 1 and 2 to remain open and blocks port 3.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990202007
Seal kit - Cartridge	Polyurethane: 990002002
Seal kit - Cartridge	Viton: 990202006

CONFIGURATION OPTIONS

Model Code Example: XBOAXXN

CONTROL	(X) ADJUSTMENT RANGE	(X) SEAL MATERIAL	(N) MATERIAL/COATING
X -	X -	N Buna-N V Viton	Standard Material/Coating /AP Stainless Steel, Passivated /LH Mild Steel, Zinc-Nickel



in (mm)

This cavity plug allows ports 1 and 2 to remain open and blocks port 3.



TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990011007
Seal kit - Cartridge	EPDM: 990011014
Seal kit - Cartridge	Polyurethane: 990011002
Seal kit - Cartridge	Viton: 990011006

CONFIGURATION OPTIONS

Model Code Example: XEOAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N		Standard Material/Coating
				E EPDM		/AP Stainless Steel, Passivated
				V Viton		/LH Mild Steel, Zinc-Nickel



This cavity plug allows ports 1 and 2 to remain open and blocks port 3.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990017007
Seal kit - Cartridge	Polyurethane: 990017002
Seal kit - Cartridge	Viton: 990017006

CONFIGURATION OPTIONS

Model Code Example: XHOAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N V Viton		Standard Material/Coating /AP Stainless Steel, Passivated



This cavity plug allows ports 1 and 2 to remain open and blocks port 3.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990019007
Seal kit - Cartridge	Polyurethane: 990019002
Seal kit - Cartridge	Viton: 990019006

CONFIGURATION OPTIONS

Model Code Example: XJOAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N E EPDM V Viton		Standard Material/Coating /AP Stainless Steel, Passivated



in (mm)

This cavity plug allows ports 1 and 2 to remain open and blocks port 3.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990163007
Seal kit - Cartridge	Polyurethane: 990163002
Seal kit - Cartridge	Viton: 990163006

CONFIGURATION OPTIONS

Model Code Example: XZOBXXN

CONTROL	(X) ADJUSTMENT RANGE	(X) SEAL MATERIAL	(N) MATERIAL/COATING
X -	X -	N Buna-N E EPDM V Viton	Standard Material/Coating /AP Stainless Steel, Passivated



in (mm)

This cavity plug allows ports 1 and 3 to remain open and blocks port 2.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990009007
Seal kit - Cartridge	Polyurethane: 990009002
Seal kit - Cartridge	Viton: 990009006

CONFIGURATION OPTIONS

Model Code Example: XAOCXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				E EPDM	
				V Viton	



This cavity plug allows ports 1 and 3 to remain open and blocks port 2.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990202007
Seal kit - Cartridge	Polyurethane: 990002002
Seal kit - Cartridge	Viton: 990202006

CONFIGURATION OPTIONS

Model Code Example: XBBAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N V Viton		Standard Material/Coating /AP Stainless Steel, Passivated



This cavity plug allows ports 1 and 3 to remain open and blocks port 2.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Seal kit - Cartridge	Buna: 990011007
Seal kit - Cartridge	Polyurethane: 990011002
Seal kit - Cartridge	Viton: 990011006

CONFIGURATION OPTIONS

Model Code Example: XEBAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N E EPDM V Viton		Standard Material/Coating /AP Stainless Steel, Passivated





This cavity plug allows ports 1 and 3 to remain open and blocks port 2.

TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	3000 psi
Seal kit - Cartridge	Buna: 990017007
Seal kit - Cartridge	Polyurethane: 990017002
Seal kit - Cartridge	Viton: 990017006

CONFIGURATION OPTIONS Model Code Example: XHBAArrray

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X Not Adjustable		X -		N Buna-N V Viton	



This cavity plug allows ports 1 and 3 to remain open and blocks port 2.



TECHNICAL DATA NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990019007
Seal kit - Cartridge	Polyurethane: 990019002
Seal kit - Cartridge	Viton: 990019006

CONFIGURATION OPTIONS

Model Code Example: XJBAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	



This cavity plug allows ports 1 and 3 to remain open and blocks port 2.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990163007
Seal kit - Cartridge	Polyurethane: 990163002
Seal kit - Cartridge	Viton: 990163006

CONFIGURATION OPTIONS

Model Code Example: XZBAXXN

CONTROL	(X)	SPOOL CONFIGURATION	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X Not Adjustable		X -		N Buna-N V Viton		Standard Material/Coating /AP Stainless Steel, Passivated



This cavity plug allows ports 2 and 3 to remain open and blocks port 1.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990202007
Seal kit - Cartridge	Polyurethane: 990002002
Seal kit - Cartridge	Viton: 990202006

CONFIGURATION OPTIONS

Model Code Example: XBAAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	



This cavity plug allows ports 2 and 3 to remain open and blocks port 1.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Seal kit - Cartridge	Buna: 990011007
Seal kit - Cartridge	EPDM: 990011014
Seal kit - Cartridge	Polyurethane: 990011002
Seal kit - Cartridge	Viton: 990011006

CONFIGURATION OPTIONS

Model Code Example: XEAAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				E EPDM	
				V Viton	



in (mm)

This cavity plug allows ports 2 and 3 to remain open and blocks port 1.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	3000 psi
Seal kit - Cartridge	Buna: 990163007
Seal kit - Cartridge	Polyurethane: 990163002
Seal kit - Cartridge	Viton: 990163006

CONFIGURATION OPTIONS

Model Code Example: XZAAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N V Viton		Standard Material/Coating /AP Stainless Steel, Passivated



These cavity plugs can be used for both four-port and six-port cavities. When used in four-port cavities (T-21A, T-22A, T-23A and T-24A), ports 1 and 2 remain connected and ports 3 and 4 are blocked. When used in six-port cavities (T-61A, T-62A, T-63A and T-64A), ports 1, 2, 3 and 4 remain connected and ports 5 and 6 are blocked.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990021007
Seal kit - Cartridge	Polyurethane: 990021002
Seal kit - Cartridge	Viton: 990021006

CONFIGURATION OPTIONS

Model Code Example: **XMOAXXN**

CONTROL	(X) ADJUSTMENT RANGE	(X) SEAL MATERIAL	(N) MATERIAL/COATING
X -	X -	N Buna-N V Viton	Standard Material/Coating /AP Stainless Steel, Passivated /LH Mild Steel, Zinc-Nickel



These cavity plugs can be used for both four-port and six-port cavities. When used in four-port cavities (T-21A, T-22A, T-23A and T-24A), ports 1 and 2 remain connected and ports 3 and 4 are blocked. When used in six-port cavities (T-61A, T-62A, T-63A and T-64A), ports 1, 2, 3 and 4 remain connected and ports 5 and 6 are blocked.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990022007
Seal kit - Cartridge	Polyurethane: 990022002
Seal kit - Cartridge	Viton: 990022006

CONFIGURATION OPTIONS

Model Code Example: XNOAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	



These cavity plugs can be used for both four-port and six-port cavities. When used in four-port cavities (T-21A, T-22A, T-23A and T-24A), ports 1 and 2 remain connected and ports 3 and 4 are blocked. When used in six-port cavities (T-61A, T-62A, T-63A and T-64A), ports 1, 2, 3 and 4 remain connected and ports 5 and 6 are blocked.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990023007
Seal kit - Cartridge	Polyurethane: 990023002
Seal kit - Cartridge	Viton: 990023006

CONFIGURATION OPTIONS

Model Code Example: XPOAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	



These cavity plugs can be used for both four-port and six-port cavities. When used in four-port cavities (T-21A, T-22A, T-23A and T-24A), ports 1 and 2 remain connected and ports 3 and 4 are blocked. When used in six-port cavities (T-61A, T-62A, T-63A and T-64A), ports 1, 2, 3 and 4 remain connected and ports 5 and 6 are blocked.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Seal kit - Cartridge	Buna: 990024007
Seal kit - Cartridge	Polyurethane: 990024002
Seal kit - Cartridge	Viton: 990024006

CONFIGURATION OPTIONS

Model Code Example: XQOAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)	MATERIAL/COATING
X -		X -		N Buna-N V Viton		Standard Material/Coating /LH Mild Steel, Zinc-Nickel



in (mm)

This cavity plug allows flow through ports 1 and 3 and blocks ports 2 and 4.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	3000 psi
Seal kit - Cartridge	Buna: 990021007
Seal kit - Cartridge	Polyurethane: 990021002
Seal kit - Cartridge	Viton: 990021006

CONFIGURATION OPTIONS

Model Code Example: X MBAXXN

CONTROL	(X)	ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		X -		N Buna-N	
				V Viton	



This cavity plug connects ports 1 and 2 to the external port at the top of the hex and blocks port 3.

TECHNICAL DATA



NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

Maximum Operating Pressure	5000 psi
Port Configuration	3 Port
Seal kit - Cartridge	Buna: 990017007
Seal kit - Cartridge	Polyurethane: 990017002
Seal kit - Cartridge	Viton: 990017006

CONFIGURATION OPTIONS

Model Code Example: XHOAEXN

ADJUSTMENT RANGE	(X)	SEAL MATERIAL	(N)
X -		N Buna-N	
		V Viton	



TECHNICAL DATA

NOTE: DATA MAY VARY BY CONFIGURATION. SEE CONFIGURATION SECTION.

CONFIGURATION OPTIONS

Model Code Example: XUCA

CONTROL	ADJUSTMENT RANGE	SEAL MATERIAL
X -	X -	N Buna-N V Viton

driving fluid power innovation since 1970



www.sunhydraulics.com



Sun Hydraulics Headquarters
Sarasota, Florida USA
+1 941 362 1200

Custom Fluidpower Pty Ltd
(A Sun Hydraulics Company)
Newcastle, Australia
+61 02 4953 5777
sales@custom.com.au

Sun Hydraulics Limited
Coventry, England
+44 2476 217 400
sales@sunuk.com

Sun Hydraulics Korea Corp.
Incheon, Korea
+82 3281 31350
sales@sunhydraulics.co.kr

Sun Hydraulik GmbH
Erkelenz, Germany
+49 2431 80910
sales@sunhydraulik.de

Sun Hydraulics China Co. Ltd.
Shanghai, P.R. China
+86 2162 375885
sunchinainfo@sunhydraulics.com

Sun Hydraulics Corp. (India)
Bangalore, India
+91 8028 456325
sunindiainfo@sunhydraulics.com

Sun Hydraulics Corp. (S.America)
Rosario, Argentina
+54 9 341 584 3075
ventas@sunhydraulics.com